BERGO SPORTS FLOORINGTM PROFESSIONAL ECO-FRIENDLY ALL-WEATHER COURTS



WHERE ACTIVITIES



Bergo Flooring stands as a pioneer, having introduced the world's first floor tile in 1972.

ECO FRIENDLY SPORTS FLOORING With this esteemed legacy, we take immense pride in being the chosen floor supplier for numerous federations, organizations, clubs, schools and municipalities, worldwide.



UNINSPIRING & DULL SURFACES DON'T ENCOURAGE TO EXERCISE AND PLAY...



Image of reality. Uninspiring dull surfaces don't encourage people to exercise.

Especially not children and youngsters. In the digital era with smartphones and tablets, we need to make it fun and alluring to become more active.



The solution

Attract children and young people to be more physically active.

Accessible and inspiring activity spaces that encourages all people to sport and play with no need for booked training times.



The effect

HEALTHIER and HAPPIER children, parents, school and community.

Sporting leads to:

• Better health and better school results.

• Less screentime and interaction with other people, contributes to better INTEGRATION and SOCIALIZING.

• Better interaction between girl and boy, young and old, different socio-economic backgrounds.





WISH - an environmentally sustainable solution from Bergo that contributes to better health and integration, worldwide.



BERGO SPORTS FLOORING

ADVANTAGES

- Approved and certified by FIBA, EN14877 and ITF.
- Strong and easy mounted floors.
- Fast makeover/installation without tools. No chemicals or glue.
- Draining and ventilating no puddles!
- Smart accessories: Line strips (50 mm) less or no painting.
- Integrated expansion solution allows the floor to move freely.
- Portable
- Long lifetime 15 years warranty.
- No micro plastics, emissions or migrating particles during use or production.
- 100% recyclable.











EUROPE CUP




WHERE ACTIVITIES COME TO LIFE

OUR SPORTS FLOORING RANGE

The System4-series offers sports flooring with easy installation without hammer, 200% faster installation compared to many other floor tiles, integrated expansion solution and built-in lines. Less painting!

BERGO ULTIMATE FLOWTM – THE OPTIMAL SPORTS SURFACE FOR PICKLEBALL

- a court covering specifically designed to maximize ball control, bounce characteristics, and friction, thus creating the ultimate gaming experience.





Tested and approved according to the important European standard EN14877 for outdoor flooring.


SYSTEM

BERGO ULTIMATE FLOW™

374 x 374 x 12,4 mm. Building dimensions: 376 x 376 mm. Material: Environmentally friendly, 100% recyclable, and UV-stabilized polymer composite. SYSTEM 4, ART NO. 210_97

BERGO ULTIMATE PLUS™ BY GREENMATTER - FROM WORN-OUT TURF TO SPORT FLOOR

Bergo Ultimate Plus™ by GreenMatter is a groundbreaking flooring solution consisting of an impressive 50 % recycled material from worn-out artificial turf fields. Bergo Ultimate Plus™ by GreenMatter is a all-round floor, also developed to handle the tougher sports such as inline hockey, roller skating etc.





BERGO ULTIMATE PLUS™ BY GREENMATTER 375,3 x 375,3 x 12,4 mm. Building dimensions: 376,2 x 376,2 mm MATERIAL: 50% PCR-material (Post consumer recycled) from artificial turf (PE+PP) + 50% Environmentally friendly recyclable UV-stabilized polypropylene. SYSTEM 4, ART. NO. 811DG96



About GreenMatter: GreenMatter is a sustainability-focused company dedicated to reusing artificial turf waste and exploring innovative applications for recycled materials. Their mission is to reduce waste and promote sustainable practices across various industries. For more information, visit www.greenmatter.nl/en/.



Tested and approved according to the important European standard EN14877 for outdoor floors and meets ALL requirements. The floor also passes the tests for "Rolling loads" (EN1569) and "Impact resistance" (EN1517).




Approved tennis court surface and classified by the ITF as "fast".



$\textbf{BERGO ULTIMATE}^{\text{TM}} - \textbf{All-round sports tile}$

Bergo Ultimate[™] is an all-round sports tile for most sports.



Tested and approved according to the important European standard EN14877 for outdoor flooring. Bergo Ultimate™ fulfils ALL requirements.

Tested and approved by FIBA in the following criteria:


FIBA-approved in Level 1 and 2.
 For portable installations



Approved tennis court surface and classified by the ITF as "fast".

BERGO ULTIMATE PLUS™ – ONE OF THE STRONGEST FLOOR TILES ON THE MARKET

Bergo Ultimate Plus[™] is one of the strongest floor tiles on the market and is extremely load-resistant and a heavy-duty solution. Bergo Ultimate Plus[™] is developed to handle the tougher sports such as inline hockey, roller skating etc.



Tested and approved according to the important European standard EN14877 for outdoor floors and meets ALL requirements. The floor also passes the tests for "Rolling loads" (EN1569) and "Impact resistance" (EN1517).

One of the few floor tiles in the world that has been tested and approved in all categories and is certified by FIBA in the following criteria:



FIBA-approved in Level 1 and 2.

For portable installationsFor fixed installations



Approved tennis court surface and classified by the ITF as "fast".

ACCESSORIES 4

100 % recyclable PP-composite. SYSTEM 4, ART NO. 113_96

Building demensions: 376,2 x 376,2 mm. MATERIAL: Made of environmentally friendly,

100 % recyclable PP-composite. SYSTEM 4, ART NO. 113_95



Line Strip Edge-piece is used with the Edge Strips as ending of a row with Line Strips.



Line Strips are used for making lines in different colours or/and making the court in the preferred size. Line Cross-piece is used as two lines of Line Strips intersect with each other.



EDGE STRIP 375 x 60 mm - By using Bergo Edge strips and Corner strips you will give the floor an attractive and safe finish.



LINE STRIPS 375 x 50 mm - are used for making lines in different colors or/and making the court in the preferred size.





BERGO GEOTEXTILE UNDERLAY recommended on stone powder. 2,5 x 20 m = 50 m²/roll FIBA-standard. 1,5 x 30 m = 45 m²/roll





CORNER STRIP

60 x 60 mm



LINE STRIP


EDGE-PIECE 50 x 60 mm

LINE CROSS PIECE 50 x 50 mm LOGO LINE CROSS PIECE 50 x 50 mm



DISASSEMBLY TOOL PRO with shaft

COLOURS



Please check out www.bergoflooring.com/product for colour options for each product!










































DRAINING AND VENTILATING


Bergo Sports Flooring offers a perforated pattern and the underneath design allow excellent drainage capability, which will make the court dry quickly after rain. No puddles!

ADVANTAGES

- Withstand all climates and environments
- For indoor and outdoor use
- Easy to install No chemicals, glue and tools.
- Easy to move.
- Requires minimal maintenance
- Ergonomic easy on your back and joints
- Hot/cold reducing
- Excellent "stop and go" properties
- Correct friction
- Correct bounce over the complete court
- Very sustainable and durable
- Excellent drainage capability
- Ventilates the floor underneath
- All-weather court dries quickly after rain
- Sound absorbing characteristics
- Ideal on worn asphalt or cracked concrete
- 15 years warranty

PLAYING AREAS

- Multi-sport court
- Basketball & 3X3
- Futsal/football
- Inline-hockey
- Practice area for off-ice/hockey
- Badminton
- Tennis
- POP-tennis
- Volleyball
- Floorball
- Handball
- Field hockey
- Netball
- Aerobics
- Playground
- Pickleball



BERGO MAKES PEOPLE PLAY!

BERGO is an ideal solution for on/off arrangements, such as special events, shows and exhibitions where you need to install and remove the flooring quickly. BERGO is widely used in various tournaments and recommended by several sports federations.







BERGO SPORTS FLOOR QUICKLY TRANSFORMS Any facility to a sports hall

DESCRIPTION OF



Uppsala Summer Zone

Bergo Sports Flooring transforms any dull area to an attractive alluring sports surface!

An impressive facility that Uppsala municipality offers its residents with several attractive Bergo Sports Courts at Uppsala Summer Zone.








KOJA

ONE FLOOR - MANY POSSIBILITIES!


FAST, ECONOMICAL SOLUTION

Bergo Sports Flooring is easy to lay and can be placed on an existing surface without fasteners such as glue, screws or nails.



SUBFLOOR

Concrete or asphalt as sub ground is recommended, but Bergo Sports Flooring can also be installed on hard compressed sand / stone powder.



QUICK INSTALLATION

Bergo Sports Flooring can as an option be supplied as pre-assembled sheets or/and as single tiles, which means that the floor can be laid very quickly.

We offer complete systems including court markings, etc. Contact us for more details.

MINIMAL MAINTENANCE

BERGO requires virtually no maintenance. Normal floor care such as occasional wet cleaning, vacuuming and/ or power hosing is usually all that is needed. The flooring system is without doubt a cost saving alternative to high maintenance floors/coatings.





AFTER



BEFORE

300









AFTER

TEMPORARY FLOORS

BERGO SOLID™

Strong, flexible and easy mounted Bergo solid can be applied to difficult and insufficient areas such as sand, soil, grass and ice. **Suitable for:** As subfloor for sport arenas. Protection of existing surfaces. Events on ice. Outdoor events and concert venues. Warehouses and tents. Temporary parking lots, e.g. in connection with events. Temporary roads that also allows heavy vehicles (e.g. building/construction works).



- Material: HDPE
- Made in Sweden
- Point Load: 5000 Kg / m²
- Length: 630 mm
- Width: 575 mm
- Height: 50 mm
- Weigh/tile: 2.9 kg
- Weight/m²: ca 10,5 kg
- Colour: Black
- Temperature: -30 ° C to + 60
- U-value of units: 0,8 W/m2K
- Warranty: 5 years
- Fire Category: E_{fl}

Time of installation/person approx. 100 m²/h



WE CARE ABOUT PEOPLE AND PLANET

Raw material

- Clean, non-hazardous materials* No Bisphenols, No Phthalates/softeners
- Natural color pigments
- 100% recyclable material

*Our Raw material is actually so good, that it is approved to be in direct contact with food (FDA-approved). *To make sure our products are as good as we claim, we let the Governmental controlled Swedish Chemicals Agency review us and our products.

Recycle / Reuse

- Reuse the present product in new locations / 2nd hand market
- 100% Recyclable product
 material for new products
 circular economy
- Leaves no residues/particles after removal
- "Cradle to cradle-perspective"
 we will help customers to recycle.



Production

- No harmful emissions during the process
- Electricity from clean energy sources, no coal/oil
- Great working environment:
 - Fair salaries
 - Code of conduct
 - Union membership is encouraged
- Proudly made in Sweden

Distribution

- Low weight, stackable product
 efficient transportation
- All packaging materials are 100% recyclable

Product in use

- No emissions/migrating microplastics during use
- Long lifetime
- Up to 15 years warranty
- Basically no need for added products/chemicals/glue, etc. for the installation



We are proud of being awarded by the Swedish Crown Princess for our environmental work!

ECO FRIENDLY SPORTS FLOORING

www.bergoflooring.com



THIS IS BERGO

Bergo is the original since 1972 and with over 50 years of experience, Bergo Flooring is the world leader in multi-functional floor tiles. All production is proudly made in Sweden with the highest quality.

11 . 12



WHAT WE DO

We make ECO-friendly, award-winning floor tiles specially developed for various applications within five different business areas: HOME, PUBLIC, EVENT, SPORT & MARINE.



WHY CHOOSE BERGO

Bergo is pure, functional design. A Bergo floor solves many problems thanks to the ventilating and flexible design and is particularly suitable for installations on damp surfaces, but also on uneven subfloors. Our products are available in a wide range of colors, harmoniously coordinated.

 Bergo Flooring AB

 Postal address: P.O. Box 10, Visiting address: Ågatan 7, SE-334 32 Anderstorp, Sweden.

 _____Tel. +46 371 58 77 00 info@flooring.se www.bergoflooring.com

Please note that the colors in all images in this brochure might not perfectly correspond with re

Frank Constants of Fill

