




ULTIMATE FLOW™

THE OPTIMAL SPORTS SURFACE FOR PICKLEBALL

– a court covering specifically designed to maximize ball control, bounce characteristics, and friction, thus creating the ultimate gaming experience.




**ECO FRIENDLY
SPORTS FLOORING**

Bergo Flooring stands as a pioneer, having introduced the world's first floor tile in 1972.

With this esteemed legacy, we take immense pride in being the chosen floor supplier for numerous federations, organizations, clubs, schools and municipalities, worldwide.





BERGO ULTIMATE FLOW™


The customized flooring offers optimal performance, and its unique composition provides a softer surface that ensures the pickleball achieves the excellent bounce while absorbing shocks for ergonomic gameplay.

The textured, draining surface provides optimal grip while effectively channeling away rainwater to enable more frequent play.

The material's UV-stabilized composition ensures longevity with a 15-year warranty guaranteeing functionality.

No puddles!

With a perforated pattern and excellent drainage capability, Ultimate FLOW™ dries quickly after rain.



ADVANTAGES

- Withstands all climates and environments
- Suitable for indoor and outdoor use
- Easy to install - no tools or adhesive required
- Easy to move
- Requires minimal maintenance
- Ergonomic - gentle on the back and joints
- Heat / cool reducing
- Excellent "stop and go" properties
- Consistent bounce across the entire surface
- Very durable and long-lasting
- Excellent drainage capability
- Vents the subfloor
- Works in all weather conditions
- Sound-absorbing properties
- 15-year warranty guaranteeing functionality


ULTIMATE FLOW™ PROVIDES A FAST AND ECONOMICAL SOLUTION

Ultimate FLOW™ is easily installed on concrete and asphalt without fasteners. The subground should be smooth and even. The better surface, the better function and bounce.



MINIMAL MAINTENANCE

Ultimate FLOW™ requires minimal upkeep since the pickleball court's integrated lines eliminate the need for maintenance painting. Cleaning the surface is easily accomplished using methods such as a pressure washer, scrub brush, or professional cleaning equipment as needed.



Material: Environmentally friendly, 100% recyclable, and UV-stabilized polymer composite.



374 x 374 x 12,4 mm. Building dimensions: 376 x 376 mm.
System 4. Art. No. 210__97X



BERGO ULTIMATE FLOW™ has been tested and approved according to the important European standard EN14877 for outdoor flooring.



15-year warranty guaranteeing functionality.

Available in several standard colors.

ACCESSORIES



EDGE STRIP 375 x 60 mm – Edge strips and Corner strips provide a neat and secure finish



LINE STRIP 375 x 50 mm – Used to create lines in different colors and/or to achieve the desired dimensions on the court



CORNER STRIP
60 x 60 mm



LINE STRIP EDGE PIECE
50 x 60 mm



LINE STRIP CROSS-PIECE
50 x 50 mm




LOGO LINE STRIP CROSS-PIECE
50 x 50 mm

DISASSEMBLY TOOL PRO
with shaft



Line Strips are used to create lines in various colors. No painting is required for lines! *Line strip cross-piece* are used when two lines of *Line strips* intersect.



Line Strip Edge-piece is used in conjunction with edge strips as a practical and attractive finish after a row of *Line strips*.



ECO FRIENDLY SPORTS FLOORING



THIS IS BERGO

Bergo has been the original since 1972, and with over 50 years of experience, Bergo Flooring is a world leader in multifunctional floor tiles. All production is proudly made in Sweden with the highest quality standards.

WHAT WE DO

We manufacture environmentally friendly, award-winning, and approved floor tiles specifically designed for various applications in five different business areas: HOME, PUBLIC, EVENT, SPORT & MARINE.

WHY CHOOSE BERGO?

Bergo represents clean, functional design. A Bergo floor solves many problems thanks to its ventilating and flexible construction. Our floors are particularly suitable for installations on damp surfaces and even on uneven subfloors. Our products are available in a wide range of matching colors.

www.bergoflooring.com

Bergo Flooring AB

Postal address: P.O. Box 10, Visiting address: Ågatan 7, 334 32 Anderstorp, Sweden.
Tel. +46 371 58 77 00 info@flooring.se



Please note that the colors in all images in this brochure may not accurately represent reality.